



Cambridge Waste Water Treatment Plant Relocation Project

Phase One Consultation 8 July - 19 August 2020

Anglian Water is proposing to relocate its Cambridge Waste Water Treatment Plant and build a new, modern carbon-efficient waste water treatment plant to support sustainable growth in the city, unlocking the potential for a new low-carbon district planned for North East Cambridge.

We want to hear your views on both the possible site area options and the potential tunnel and/or pipeline corridor options for the new waste water treatment plant.

You do not have to supply personal details; however, it will help us to work towards engaging the community during the consultation period and to enable us to contact you regarding the Cambridge Waste Water Treatment Plant Relocation (CWWTPR) project. Your personal details will be stored in compliance with the Global Data Protection Regulation (GDPR) by Counter Context acting on behalf of Anglian Water and will not be shared with third parties.

Registration details

Name: Title: Date:

Organisation: (if applicable)

Address:

Postcode: Telephone:

E-mail address:

1) How would you describe your interest in the proposed Cambridge Waste Water Treatment Plant Relocation (CWWTPR) project? Please tick the most relevant.

Local resident Local representative Landowner Local business owner

Regular visitor Local interest group member (if so, please name) Statutory organisation

Other (please specify):

2) Would you like to receive our community newsletters to keep up to date with the progress of the relocation project?

Yes via post Yes via email No

Part A

3) What is your opinion of our proposal to relocate and build a new modern, carbon-efficient waste water treatment plant for Cambridge, to enable the regeneration of the North East Cambridge area?

- I strongly support the relocation
- I support the relocation
- I am neither supportive or unsupportive
- I do not support the relocation
- I strongly oppose the relocation

We have identified three possible site area options for where the Cambridge Waste Water Treatment Plant could be relocated. Based on the information provided in our consultation material and your knowledge of the area, we are seeking your feedback on the suitability of site areas 1, 2 and 3.

4) Which site area or areas are you commenting on?

- Site 1
- Site 2
- Site 3
- None of these

5) What things relating to this site or sites are most important to you? Please tick the relevant boxes and provide comments on why you think these things are most important.

Tick box	Topic area	Comments
<input type="checkbox"/>	Local ecology and biodiversity Please indicate any plant or animal species which you feel are particularly important for us to consider.	
<input type="checkbox"/>	Landscape and views Are there any local landscape features or views that are particularly important to you?	
<input type="checkbox"/>	Archaeology and local heritage Please indicate any important sites in the area.	

Tick box	Topic area	Comments
<input type="checkbox"/>	Climate change Please indicate any concerns you may have in relation to how the new plant will operate in a future climate.	
<input type="checkbox"/>	Flood risk and water quality Please indicate any concerns you have in relation to flood risk or water quality during construction or when the site is operational.	
<input type="checkbox"/>	Air quality, noise and vibration Please indicate any air quality, noise or vibration concerns, during construction or when the site is operational.	
<input type="checkbox"/>	Traffic and access during construction and operations Please let us know of any traffic or access concerns you may have.	
<input type="checkbox"/>	Impact on local amenities Please indicate any concerns relating to local amenities such as public rights of way and recreational sites.	
<input type="checkbox"/>	Other (please detail)	

6) Which site area do you think is the most suitable for the relocation project?

Site 1

Site 2

Site 3

None of these

Please explain why you think this.

Part B

Site selection questions

In order to answer these questions, you might find it useful to look at our non-technical site selection summary report. This provides information on our site selection process. It also establishes the process we propose for selecting the final site. This can be found in the documentation section of our project website. Paper copies can be provided by contacting our team ([see contact details on the bottom of this form](#)).

You can also view an interactive map of the site area options on our website.

7) Have you read our non-technical site selection summary report?

Yes

No

In line with the studies we have already carried out, we will be assessing the following things to help us identify a final site as part of our site selection process, in combination with feedback we get from this consultation:

Economic – What is the value for money of each site over the lifetime of the project?

Operational – How well does each site provide what Anglian Water needs to be able to operate the project?

Environmental – What are the possible effects on the environment and mitigation available?

Community – What are the possible effects on local communities and mitigation available?

Planning – How well does each site meet the requirements of planning policies?

Programme – Can the planning and building of the project be achieved on time for each site?

8) Are there any other factors that you think we should have considered in the site selection process or that should be considered in making our final site selection? Please provide your comments.

Part C

9) The Cambridge Waste Water Treatment Plant will be relocated to one of three possible site areas. Tunnels and/or pipelines will also be required to take waste water to the new site for treatment and to take treated waste water back to the River Cam.

Our consultation leaflet and digital engagement platform ([accessed via our website](#)) show maps of the proposed tunnel and pipeline corridor options for the three site areas. We want to hear your views on these options.

Please provide us with your comments on the tunnel and pipeline corridor options.

Part D

Our consultation process

10) Have you attended one of our community webinars?

Yes

No

11) How did you find out about our consultation?

I received a leaflet

I saw it advertised in local media

I received an email

Via a local community group

Word of mouth

Other (please specify):

12) How informative did you find the community webinar?

- Very informative Quite informative Not informative No opinion

13) Were your questions answered by our team, either at the webinar or following?

- Yes Partly No

Please provide any further comments you may have on the event and what we could have done differently.

14) Please indicate how much you agree with the following statement:

My views will be considered as the proposals for the project develop.

- Strongly agree Agree Disagree Strongly disagree Don't know
-

15) Please let us know your suggestions on how you would like us to consult you in the future.

If you have received our feedback form in the post or downloaded it from our website, you can either email it or send it to us via post using the details below. If you have any further questions or want more information please contact the project team using one of the channels below.



Email at
info@cwwtpr.com



Write to us at
Freepost: CWWTPR



Call us at
Freephone: 0808 196 1661



Visit our website at
www.cwwtpr.com

Please note that the deadline for the submission of feedback for our first phase of consultation is **19 August 2020**. A second phase of consultation will follow in Spring 2021.